


LDRC 100-500 Silencer

N° article: 7267

Variante : Par défaut



Description

LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.


Paramètres techniques

Dimensions et poids

Poids

3,4 kg

Dimensions



LDRC 100-1000 Silencer

N° article: 7268

Variante : Par défaut



Description

LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.


Paramètres techniques

Dimensions et poids

Poids

6,3 kg


Dimensions



LDRC 125-500 Silencer

N° article: 7270

Variante : Par défaut



Description

LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.


Paramètres techniques

Dimensions et poids

Poids

4 kg

Dimensions



l	$\frac{e}{d1}$	a	b
500	125	239	181

LDRC 125-1000 Silencer

N° article: 7271

Variante : Par défaut



Description

LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.

Paramètres techniques

Dimensions et poids

Poids

7,4 kg

Dimensions




l	$\frac{a}{d}$	a	b
1000	125	239	181

LDRC 160-500 Silencer

N° article: 7272

Variante : Par défaut



Description

LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.


Paramètres techniques

Dimensions et poids

Poids

4,9 kg

Dimensions



LDRC 160-1000 Silencer

N° article: 7273

Variante : Par défaut



Description


LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.

Paramètres techniques

Dimensions et poids

Poids 8,9 kg

Dimensions



l	d1	a	b
1000	160	275	218

LDRC 200-500 Silencer

N° article: 7274

Variante : Par défaut



Description

LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.

Paramètres techniques

Dimensions et poids

Poids

6 kg

Dimensions



l	d1	a	b
500	200	328	254

LDRC 200-1000 Silencer

N° article: 7275

Variante : Par défaut



Description


LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.

Paramètres techniques

Dimensions et poids

Poids 10,9 kg

Dimensions



LDRC 250-500 Silencer

N° article: 7760

Variante : Par défaut



Description


LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.

Paramètres techniques

Dimensions et poids

Poids	7,5 kg
-------	--------

Dimensions



LDRC 250-1000 Silencer

N° article: 7761

Variante : Par défaut



Description


LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.

Paramètres techniques

Dimensions et poids

Poids	13,3	kg
-------	------	----

Dimensions



LDRC 315-500 Silencer

N° article: 7782

Variante : Par défaut



Description


LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.

Paramètres techniques

Dimensions et poids

Poids 8,8 kg

Dimensions



LDRC 315-1000 Silencer

N° article: 7783

Variante : Par défaut



Description


LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.

Paramètres techniques

Dimensions et poids

Poids	16,2 kg
-------	---------

Dimensions



l	d1	a	b
1000	315	453	372

LDRC 400-500 Silencer

N° article: 7784

Variante : Par défaut



Description


LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.

Paramètres techniques

Dimensions et poids

Poids 11,9 kg

Dimensions



LDRC 400-1000 Silencer

N° article: 7785

Variante : Par défaut



Description

LDRC is a silencer with low installation height designed for circular duct systems. LDRC has a bowl-shaped mineral wool insulation with a fibre cloth in order to prevent tear off mineral wool. Can achieve maximum tightness class C.

Paramètres techniques

Dimensions et poids

Poids

20,6 kg

Dimensions



l	d1	a	b
1000	400	456	460